

## LISTING OF CLAIMS

1. - 4. (canceled)

5. (withdrawn) A golf club head in which when a horizontal direction from a toe side toward a heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction, coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum resilience point in the hitting surface are set to be (x, y), y is equal to or greater than -5 mm and is smaller than 0 mm.

6. (withdrawn) The golf club head according to claim 5, wherein the y is -5 mm to -2 mm.

7. (withdrawn) The golf club head according to claim 5, wherein a value of  $(t_2 - t_1)$  on the center of the hitting surface which is measured in accordance with a pendulum test determined by USGA is smaller than  $250 \cdot 10^{-6}$  second.

8. (withdrawn) The golf club head according to claim 5, wherein the value of  $(t_2 - t_1)$  on the maximum resilience point which is measured in accordance with the pendulum test determined by the USGA is  $250 \cdot 10^{-6}$  second or more.

9. (withdrawn) A golf club head in which when a horizontal direction from a toe side toward a heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction, coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum resilience point in the hitting surface are set to be (x, y), x is equal to or greater than -10 mm and is smaller than 0 mm.

10. (withdrawn) The golf club head according to claim 9, wherein the x is -8 mm to -3 mm.

11. (withdrawn) The golf club head according to claim 9, wherein a value of  $(t_2 - t_1)$  on the center of the hitting surface which is measured in accordance with a pendulum test determined by USGA is smaller than  $250 \cdot 10^{-6}$  second.

12. (withdrawn) The golf club head according to claim 9, wherein the value of  $(t_2 - t_1)$  on the maximum resilience point which is measured in accordance with the pendulum test determined by the USGA is  $250 \cdot 10^{-6}$  second or more.
13. (withdrawn) A golf club head in which when a horizontal direction from a toe side toward a heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction, coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum resilience point in the hitting surface are set to be (x, y), x is greater than 0 mm and is equal to or smaller than 10 mm.
14. (withdrawn) The golf club head according to claim 13, wherein the x is 3 mm to 8 mm.
15. (withdrawn) The golf club head according to claim 13, wherein a value of  $(t_2 - t_1)$  on the center of the hitting surface which is measured in accordance with a pendulum test determined by USGA is smaller than  $250 \cdot 10^{-6}$  second.
16. (withdrawn) The golf club head according to claim 13, wherein the value of  $(t_2 - t_1)$  on the maximum resilience point which is measured in accordance with the pendulum test determined by the USGA is  $250 \cdot 10^{-6}$  second or more.
17. (previously presented) A golf club head in which when a horizontal direction from a toe side toward a heel side is set to be an X direction, a vertical and upward direction is set to be a Y direction, coordinates of a center of a hitting surface are set to be (0, 0) and coordinates of a maximum resilience point in the hitting surface are set to be (x, y), and wherein  
the maximum resilience point is displaced from the coordinates (0, 0);  
y is equal to or greater than -5 mm and is equal to or smaller than 10 mm, and x is equal to or greater than -10 mm and is equal to or smaller than 10 mm;  
a value of  $(t_2 - t_1)$  on the center of the hitting surface which is measured in accordance with a pendulum test determined by USGA is smaller than  $250 \cdot 10^{-6}$  second; and  
the value of  $(t_2 - t_1)$  on the maximum resilience point which is measured in accordance with the pendulum test determined by the USGA is  $250 \cdot 10^{-6}$  second or more.

18. (previously presented) The golf club head according to claim 17, wherein the y is -5 mm to -2 mm.

19. (previously presented) The golf club head according to claim 17, wherein the x is -8 mm to -3 mm.

20. (previously presented) The golf club head according to claim 17, wherein the x is 3 mm to 8 mm.